EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	("5247634" | "5577243" | "5625819" | "5717842" | "5721858" | "5835958" | "5835959").PN. OR ("5950231").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/12/02 13:10
S1	1621	709/213.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:56
S2	1030	709/213.ccls. and state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:56
S3	98	709/213.ccls. and state with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:56
S4	22	(jan and christoffersson). in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:57
S5	46	(hans and hannu).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:57
S6	6002	(ericsson).as. and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:57

S7	453	(ericsson).as. and state with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:57
S8	8	(ericsson).as. and state with memory with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:57
S10	7	US-20030212855-$.DID. or "2004088850".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 17:58
S11	1	10/598152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/16 18:08
S12	5	"20020132613".did. or "2003013431".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 11:18
S13	3	"2003013431".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 11:19
S14	3	"03003695".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 11:19
S15	2	"6766147".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 11:20

S16	42	(memory portions) with state with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 12:42
S17	14	("4954950" | "5113521" | "5325376" | "5402115" | "5499018" | "5758053" | "5781716" | "5884025" | "5982856" | "5991275").PN. OR ("6243830").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/17 12:44
S18	0	("2007/0174538").URPN.	USPAT	ADJ	ON	2009/06/17 12:49
S19	40	(ise and tsunetaro).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 13:12
S20	5403	message near3 class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 13:30
S21	331	(message near3 class) with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 13:30
S22	31	(message near3 class) with priority with (store or storing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 13:31
S23	467	message compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:21
S24	0	((compress or compressing) near3 message) with (calculate near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:22

S25	0	((compress or compressing) near3 message) with (calculat$3 near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:22
S26	2	((compress or compressing) near3 message) and (calculat$3 near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:22
S27	201	(calculat$3 near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:23
S28	4	(calculat$3 near3 compression near3 factor) and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:24
S29	10	US-20030039398-$.DID. OR US-20020090141-$.DID. OR US-20020073238-$.DID. OR US-6021198-$.DID. OR US-5761438-$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:26
S30	5	S29 and factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:26
S31	2	"6577769".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:29
S32	26	("3656178" | "5155772" | "5367620" | "5388209" | "5552898" | "5583977" | "5638498" | "5710916" | "5740409" | "5751809" | "5790979" | "5793371" | "5852710" | "5867167" | "5870094" | "5930813" | "5977979" | "6246422" | "6249604" | "6304940" | "6313838").PN. OR ("6577769").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/17 14:29

S33	348	((calculat$3 or determine) near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:30
S34	3	((calculat$3 or determine) near3 compression near3 factor) near3 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/17 14:30
S35	17	("20020057715" | "20020058501" | "20020059462" | "20030025621" | "20030030575" | "20030179114" | "20040008650" | "20040047301" | "20040059835" | "20070150497" | "5617552" | "6121903" | "6414610" | "6597812" | "6643815" | "6707400" | "6883035").PN. OR ("7348904").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/17 14:30
S36	6	S35 and factor	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/17 14:32
S37	4	"6144669".pn. or "6243830".pn. or "20030212855".did. or "20020132613".did.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/17 15:28
S38	2	"6243830".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 14:54
S39	45	(memory portions) with state with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:26
S40	3	S39 and @pd>"20090623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:26

S41	35	(message near3 class) with priority with (store or storing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:26
S42	3	S41 and @pd> "20090623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:26
S43	2	((compress or compressing) near3 message) and (calculat$3 near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27
S44	0	S43 and @pd> "20090623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27
S45	4	(calculat$3 near3 compression near3 factor) and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27
S46	0	S45 and @pd> "20090623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27
S47	3	((calculat$3 or determine) near3 compression near3 factor) near3 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27
S48	0	S47 and @pd> "20090623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27

S49	210	(calculat$3 near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27
S50	9	S49 and @pd>"20090623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:27
S51	5382	store near3 (state information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:35
S52	22	store near3 (state information) with (allocat $3 or assign$3) near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/12 16:35
S53	11	"9701255".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:21
S54	4	"4716407".did. or "5257416".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:22
S55	7	"9202863".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:22
S56	38	(message near3 class) with priority with (store or storing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25

S57	3	S56 and @pd> "20100121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S58	2	((compress or compressing) near3 message) and (calculat$3 near3 compression near3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S59	0	S58 and @pd> "20100121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S60	4	(calculat$3 near3 compression near3 factor) and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S61	0	S60 and @pd> "20100121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S62	3	((calculat$3 or determine) near3 compression near3 factor) near3 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S63	0	S62 and @pd> "20100121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S64	51	(memory portions) with state with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25

S65	2	S64 and @pd>"20100121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S66	22	store near3 (state information) with (allocat $3 or assign$3) near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S67	0	S66 and @pd>"20100121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:25
S68	1	(allocate near3 memory) near3 (before near3 use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/11 14:28
S69	1	(allocat$3 or divid$3) near3 memory near3 before near3 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 17:33
S71	0	intial near3 memory near3 allocation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 18:25
S72	114988	(segment or divid$3 or allocat$3) near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 18:25
S73	0	(segment or divid$3 or allocat$3) near3 memory near3 (section of type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 18:25

S74	115	(segment or divid$3 or allocat$3) near3 memory near3 (prior or before or initial) near3 us$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 18:26

EAST Search History (Interference)

< This search history is empty>

12/2/2010 1:21:40 PM
C:\ Documents and Settings\ dmurray\ My Documents\ EAST\ Workspaces\ 10598152.wsp